

Parafil Guy Wire

Non-Conductive & Terminations

Page 1 of 2

Parafil non-conductive guy rope is a parallel laid fibre synthetic rope designed for high strength, excellent tension-tension fatigue performance with low creep.

Parafil non-conductive guy rope has the flexibility to be used in the following applications:

- Insulated guy ropes
- Urban Transport Systems
- Sub-Sea
- Marine
- Structural Applications



Order Code	Diameter	Nominal Break Load	Code/type	Length
RL1112-300	4mm	0.3 tonnes	A	300 metre roll
RL1002-300	7mm	0.5 tonnes	A	300 metre roll
RL1003-300	8.5mm	1.0 tonnes	A	300 metre roll
RL1004-300	11mm	2.0 tonnes	A	300 metre roll
RL1005-300	13.5mm	3.5 tonnes	A	300 metre roll
RL1042-300	8.5mm	3.0 tonnes	F	300 metre roll
RL1043-300	11mm	6.0 tonnes	F	300 metre roll
RL1044-300	13.5mm	10.5 tonnes	F	300 metre roll
RL1163-300	11mm	6.0 tonnes	G	300 metre roll
RL1207-300	7mm	3.5 tonnes	G	300 metre roll

Parafil Guy Wire

Non-Conductive & Terminations

Page 2 of 2

Parafil terminations are available, which have been designed to maximise the Parafil non-conductive guy rope efficiency.

ZCG recommend only Parafil rope terminations are used with Parafil non-conductive guy rope.

Order Code	Construction	Cable Diameter
RL1501	Aluminium	7mm
RL1502	Aluminium	8.5mm
RL1503	Aluminium	11mm
RL1504	Aluminium	13.5mm



Order Code	Construction	Cable Diameter
RL1521	Galvanised Steel	7mm
RL1522	Galvanised Steel	8.5mm
RL1523	Galvanised Steel	11mm
RL1524	Galvanised Steel	13.5mm



Order Code	Construction	Cable Diameter
RL1541	Stainless Steel	7mm
RL1542	Stainless Steel	8.5mm
RL1543	Stainless Steel	11mm
RL1544	Stainless Steel	13.5mm

