

Section 7 Cable & Connectors

Inter series adaptors

7/8" EIA, 1-5/8" EIA, 3-1/8" EIA & 6-1/8" EIA
Page 1 of 5



Inter series EIA adaptors are constructed from high quality brass and teflon components providing high level performance and reliability.

The adaptors can be used for field testing applications or permanent interconnection between equipment.

All of these adaptors are built to order.

Combination Kits can be assembled to suit your requirements.

Key features:

High Quality Components

⇒ Frequency Range : 40 MHz – 1 GHz

Characteristic Impedance: 50 Ohm

Rugged Construction

Applications:

- Broadcast Measurements
- Cellular Measurements
- Test and Measurement
- Permanent Interconnection

Performance:


Low Thru-Loss: 0.01 dB


Return Loss: < -26 dB over band

⇒ VSWR : < 0.043:1
</p>

 \Box Impedance : 50 Ω ± 2.0 Ω


<u>Typical Response</u>





Resolution: 517 CAL:ON(COAX) CW: OFF Date: Oct/16/2007 Time: 17:20:06

Smith Chart



 Resolution: 517
 CAL:ON(COAX)
 CW OFF

 Date: Oct/16/2007
 Time: 17:20:06
 Prop.Vel..800



Section 7 Cable & Connectors





Inter series adaptors

7/8" EIA, 1-5/8" EIA, 3-1/8" EIA, 6-1/8" EIA & Rigid Line Page 2 of 5



EIA78F-NJ*



7/8" EIA flanged to N-type female adaptor, incl. bullet, O-ring, & bolts, 500 Watts

EIA78F-NP



7/8" EIA flanged to N-type male adaptor, includes 7/8" EIA joining bullet, 500 Watts

EIA78F-716F-SC



7/8" EIA flanged to 7/16" DIN female adaptor, includes 7/8" EIA joining bullet, 2kW

EIA78F-716M-SC



7/8" EIA flanged to 7/16" DIN male adaptor, includes 7/8" EIA joining bullet, 2kW

EIA78F716MRA*



7/8" EIA flanged to 7/16" DIN male right-angle adaptor, includes 7/8" EIA joining bullet, 2kW

EIA78 BULLET



Bullet kit for 7/8" EIA connector, includes o-ring and 3 x nuts, bolts & washers



Section 7 Section 7 Cable & Connectors

Inter series adaptors

7/8" EIA, 1-5/8" EIA, 3-1/8" EIA, 6-1/8" EIA & Rigid Line Page 3 of 5



EIA158F-NJ



1-5/8" EIA flanged to N-type female adaptor 500 Watts

EIA158U-NJ*



1-5/8" EIA unflanged to N-type female adaptor 500 Watts

EIA158U-78F*



1-5/8" EIA un-flanged to 7/8" EIA flanged adaptor 5kW

EIA158F-78FCPL*



1-5/8" EIA flanged to 7/8" EIA flanged adaptor 5kW

EIA158U-158F

EIA158-90EL

EIA158F-90EL



1-5/8" EIA un-flanged to 1-5/8" EIA flanged adaptor 5kW



1-5/8" EIA unflanged to 1-5/8" EIA unflanged elbow adaptor - nickel plated



1-5/8" EIA flanged to 1-5/8" EIA flanged elbow adaptor - nickel plated



1-5/8" EIA slip coupling for rigid line - includes 1 x 27/51 worm drive clamp

A-1666-4*



Nickel plated 1-5/8" EIA rigid line flange adaptor incl. 1-5/8" bullet and worm drive clamp

EIA158 BULLET KIT



Bullet kit for 1-5/8" EIA connector, includes o-ring and 3 x nuts, bolts & washers

A-3389-3¹



Joining bullet for 1-5/8" EIA un-flanged connector



Section 7 Section / Cable & Connectors

Inter series adaptors

7/8" EIA, 1-5/8" EIA, 3-1/8" EIA & 6-1/8" EIA terminated Page 4 of 5



EIA318F-NJ*

EIA318U-NJ*

EIA318U-78F*

EIA158F-318U*





3-1/8" EIA flanged to N-type female adaptor 500W



3-1/8" EIA flanged to N-type female adaptor 500W



3-1/8" EIA un-flanged to 7/8" EIA flanged adaptor 5kW



1-5/8" EIA flanged to 3-1/8" EIA unflanged adaptor 10kW

EIA158U-318U*



1-5/8" EIA unflanged to 3-1/8" EUA unflanged adaptor

EIA158U-318F*



1-5/8" EIA unflanged to 3-1/8" EIA flanged adaptor

EIA158F-318F*



1-5/8" EIA flanged to 3-1/8" EIA flanged straight adaptor incl. bolts/O-rings

EIA318-90EL



3-1/8" EIA unflanged to 3-1/8" EIA unflanged right-angle adaptor, includes 3-1/8" bullet

EIA318 BULLET



Joining bullet only for 3-1/8" EIA connector

EIA318 LINE BULLET



Joining bullet only for 3-1/8" EIA unflanged connector/ adaptor or rigid line



Section 7 Cable & Connectors



Inter series adaptors

7/8" EIA, 1-5/8" EIA, 3-1/8" EIA, 6-1/8" EIA & Rigid Line Page 5 of 5



EIA418U-318U



4-1/2" EIA unflanged to 3-1/8" EIA unflanged adaptor, includes 4-1/2" & 3-1/8" bullets

EIA618F-NJ



6-1/8" EIA flanged to N-type female adaptor, includes 6-1/8" EIA Bullet, 500 Watts

EIA618U-NJ



6-1/8" EIA unflanged to N-type female adaptor, includes 6-1/8" EIA Bullet, 500 Watts

EIA618 BULLET*



Joining bullet 6-1/8" flanged connectors or adaptors