


TNC Connectors

50 Ohms

7902


Reverse TNC Male Crimp Connector RG58 cable



A = 15.5 mm
B = 6.5 mm
C = 3.5 mm

7922

TNC Male Solder clamp style Connector RG58 cable



A = 8.5 mm
C = 4.0 mm

7930-5


TNC Male Crimp Connector RU400 or RG8 cable



A = 15 mm
C = 5.0 mm

7943


TNC Male Crimp Connector with Solder Pin RG58 cable



A = 15.5 mm
B = 6.5 mm
C = 3.5 mm

7943-2


TNC Male Crimp Connector with Solder Pin RG58 cable



A = 15.5 mm
B = 6.5 mm
C = 3.5 mm

7943-3


Black TNC Male Crimp Connector with Solder Pin RG58 cable



A = 15.5 mm
B = 6.5 mm
C = 3.5 mm

7943-4


TNC Male Crimp Connector with Crimp Pin RG58 cable



A = 15.5 mm
B = 6.5 mm
C = 3.5 mm

8206

TNC Male Crimp Connector Succoplated RG58 cable



A = 15.5 mm
B = 6.5 mm
C = 3.5 mm

8224


TNC Male Crimp Connector RG174 or RG316 cable



A = 17.5 mm
B = 9.5 mm
C = 4.5 mm

8239


Reverse TNC Male Crimp Connector RU400 cable



A =
B =
C =

7907-2


TNC Female Bulkhead Mount Connector, Crimp Sleeve with Solder Pin RG58 cable



A = 15.5 mm
B = 6.5 mm
C = 3.5 mm

7930-6


TNC Female Crimp Connector RU400 cable



A = 14.0 mm
B = 5.0 mm

7967


TNC Female Crimp Connector RG58 cable



A = 15.5 mm
B = 6.5 mm
C = 3.5 mm

8207

TNC Female Bulkhead Mount RG58 cable



C = 4.0 mm